### Aqua Nova offices:



Petras Fisheries Pty Ltd 9 Bangor Rd Dural, Sydney, 2158 N.S.W Australia +61-2-9652 2125 (phone) +61-2-9652 2645 (fax)

petras.fisheries@gmail.com sales@petras.com.au www.petras.com.au



Euronova Polska Sp. z o.o. 87-300 Brodnica, ul. Sikorskiego 60a, Poland, +48 566400077 (phone) +48 566400517 (fax)

www.novaeuro.com www.aqua-nova.pl

### Contact

Philip Petras euronovaphilip@gmail.com +48 515 498 182 (mobile)

Tomasz Fiszer tomaszfiszer@adf.pl +48 504 233 236 (mobile)







### CONTENT

NT-Series aquariums	
R-Series aquariums	5
RH-Series aquariums	8
Marine aquariums	
Eurostyle aquariums	12
Internal filters	14
External filters	
Air pumps	
Filter media	
Heaters	
T8lighting	22
T5lighting	23
Metal halide	24
UV clarifiers	25
Pond pumps	
Fountain nozzles	28
Pressure filter with UV	
Aquarium accessories	

Petras Fisheries Pty Ltd was established in 1990 in Sydney, Australia. For many years and still today, Petras has been an importer and wholesaler of live tropical-freshwater and saltwater marine fish. With years of experience and knowledge in the Aquarium trade, Petras ventured into its own brand of Aquarium and pond products in 2002 called Aqua Nova.

Aqua Nova is a brand setup for the average aquarium hobbyist and pet lover, with products across the range and an ever growing range of products. In 2007, Aqua Nova moved into the European market and there it is also showing positive movement and growth with the average aquarium hobbyist.

To all Aqua Nova supports thank you for the support and wish you all the best in growing your business with ours in the future.

Curved Glass Aquarium (NT-380 & NT-480)

- Complete, with built in biological wet/dry filter. (inside cover)
- Complete with filter media (activated carbon, ceramic rings, filter wool)
- Seamless front and side glass creates optimum viewing
- Swivel lid protects water from environmental pollutants such as dust and gives easy access for maintenance and feeding
- Suitable for fresh and salt water fish (comes with ceramic shaft standard)



Best Regards Aqua Nova Team.

### NT-380 (34 I)

4mm Curved Glass 38 x 25 x 50 cm (Aquarium) 34 x 25 x 70 cm (Cabinet) 1 x 11w 6400K (white) 380l/h filter pump Colors : Black , Silver, Lightwood, Mahogany, White

### NT-480 (50 I)

4mm Curved Glass 48 x 30 x 50 cm (Aquarium) 48 x 30 x 70 cm (Cabinet) 1 x 24w 6400K (white/blue) 450I/h filter pump Colors : Black , Silver, Lightwood, Mahogany, White

3

AQUA NOVA Catalogue 2011.1



### **Curved Glass Aquarium** (NT-620 & NT-620T, NT-800, NT-1000, NT-1200)

- Complete, with built in biological wet/dry filter. (inside cover)
- Complete with filter media (activated carbon, ceramic rings, filter wool)
- Seamless front and side glass creates optimum viewing
- Swivel lid protects water from environmental pollutants such as dust and gives easy access for maintenance and feeding.
- Suitable for fresh and salt water fish (comes with ceramic shaft standard)



### NT-620 T (tall) (125 l)

6mm glass 62 x 38 x 68 cm (Aquarium) 62 x 38 x 70 cm (Cabinet) 2 x 20w (T8 globe) 1 x white, 1 x blue 600l/h filter pump



### NT-620 (85 l) 5mm Glass 62 x 38 x 50 cm (Aquarium) 62 x 38 x 70 cm (Cabinet) 2 x 20w (T8 globe) 1 x white, 1 x blue 600l/h filter pump



Colors :

- Black

- Silver

- White

- Lightwood

- Mahogany

NT-800 (165 l) 8mm Glass  $80 \times 40 \times 60$  cm (Aquarium)  $80 \times 40 \times 70$  cm (Cabinet) 2 x 25w (T8 tubes) 1 x white, 1 x blue 1050l/h pump

100 x 42 x 62.5 cm (Aquarium) 100 x 42 x 70 cm (Cabinet) 3 x 30w (T8 globe) 2 x white, 1 x blue 1050l/h filter pump

NT-1000 (200 l)

8mm glass

### - Black - Silver

- Lightwood
- Mahogany White

### NT-1200 (280 I)

10mm Glass 1208mm×460mm×700mm (Aquarium) 1208mm×460mm×700mm (Cabinet) 3 x 30w (T8 tubes) 2 x white, 1 x blue 1050l/h pump

### Flat Glass Aquarium (Separate switches for light tubes) (R-798 & R-998)

- Complete, with built in biological wet/dry filter. (inside hood)
- Complete with filter media (activated carbon, ceramic rings, filter wool)
- Seamless front and side glass creates optimum viewing
- Swivel lid protects water from environmental pollutants such as dust and gives easy access for maintenance and feeding. Standard with glass lids, under hood.
- Suitable for fresh and salt water fish (comes with ceramic shaft standard)





Colors :

- Black
- Silver
- Lightwood
- Mahogany
- White

**R-798 (180 l)** 8mm glass 798 x 435 x 620 mm (Aquarium) 798 x 435 x 700 mm (Cabinet) 2 x 25w (T8 globe) 1 x white, 1 x blue 1050l/h filter pump



### Flat Glass Aquarium (Separate switches for light tubes) (R-998 & R-1208 & R-1520)

- Complete, with built in biological wet/dry filter. (inside hood)
- Complete with filter media (activated carbon, ceramic rings, filter wool)
- Seamless front and side glass creates optimum viewing.
- Swivel lid protects water from environmental pollutants such as dust and gives easy access for maintenance and feeding. Standard with glass lids, under hood
- Suitable for fresh and salt water fish (comes with ceramic shaft standard)



### R-1208 (270 l) 10mm glass

1208 x 435 x 650 mm (Aquarium) 1208 x 435 x 700 mm (Cabinet) 3 x 40w (T8 globe) 2 x white, 1 x blue 1050l/h filter pump



R-998 (240 l)

### 8mm glass

998 x 435 x 620 mm (Aquarium) 998 x 435 x 700 mm (Cabinet) 3 x 30w (T8 globe) 2 x white, 1 x blue 1050l/h filter pump





### R-1520 (440 i)

12mm glass 1520 x 480 x 696 mm (Aquarium) 1520 x 480 x 700 mm (Cabinet) 3 x 40w (T8 globe) 2 x white, 1 x blue 2 x 1050l/h filter pump

### Colors: - Black - Silver - Lightwood - Mahogany

- White

### Flat Glass Aquarium (Separate switches for light tubes) (R-1760 & R-2008)

- Complete, with built in biological wet/dry filter. (inside hood)
- · Complete with filter media (activated carbon, ceramic rings, filter wool)
- Seamless front and side glass creates optimum viewing.
- Swivel lid protects water from environmental pollutants such as dust and gives easy access for maintenance and feeding. Standard with glass lids, under hood.
- Suitable for fresh and salt water fish (comes with ceramic shaft standard)



### R-1760 (515 l)

12mm glass 1760 x 480 x 696 mm (Aquarium) 1760 x 480 x 700 mm (Cabinet) 5 x (T8 globe) 3 x 30w , 2 x 25w 2 x 1050l/h filter pump

- Colors: Black
  - Silver
    - Lightwood
    - Mahogany
    - White





### R-2008 (595 I)

8mm glass 2008 x 480 x 696 mm (Aquarium) 2008 x 480 x 700 mm (Cabinet) 5 x (T8 globe) 3 x 40w, 2 x 25w 2 x 1050l/h filter pump

### Colors: - Black

- Silver
- Lightwood
- Mahogany
- White

2011.1 Catalogue **AQUA NOVA** 



### Flat Glass Aquarium (Separate switches for light tubes) (RH-80 & RH-100)

- Complete, with built in biological wet/dry filter. (inside hood)
- Complete with filter media (activated carbon, ceramic rings, filter wool)
- Seamless front and side glass creates optimum viewing.
- Swivel lid protects water from environmental pollutants such as dust and gives easy access for maintenance and feeding. Standard with glass lids, under hood.
- Suitable for fresh and salt water fish (comes with ceramic shaft standard)





### - Black - Silver - Lightwood

- Mahogany - White

Colors:

- Black

Mahogany

White

RH-80 (260 l)

12mm glass 798 x 435 x 900 mm (Aquarium) 798 x 435 x 700 mm (Cabinet) 2 x 25w (T8 globe) 1 x white, 1 x blue 1050l/h filter pump



RH-100 (325 I) 12mm glass 998 x 435 x 900 mm (Aquarium) 998 x 435 x 700 mm (Cabinet) 3 x 30w (T8 globe) 2 x white, 1 x blue 1050l/h filter pump

### Flat Glass Aquarium (Separate switches for light tubes) (RH-120 & RH-150)

- · Complete, with built in biological wet/dry filter. (inside hood)
- · Complete with filter media (activated carbon, ceramic rings, filter wool)
- Seamless front and side glass creates optimum viewing.
- Swivel lid protects water from environmental pollutants such as dust and gives easy access for maintenance and feeding. Standard with glass lids, under hood.
- Suitable for fresh and salt water fish (comes with ceramic shaft standard)





- Mahogany - White

### RH-120 (390 I)

12mm glass 1208 x 435 x 900 mm (Aquarium) 1208 x 435 x 700 mm (Cabinet) 3 x 40w (T8 globe) 2 x white, 1 x blue 1050l/h filter pump

RH-150 (480 I) 12mm glass 1520 x 480 x 900 mm (Aquarium) 1520 x 480 x 700 mm (Cabinet) 3 x 40w (T8 globe) 2 x white, 1 x blue 2 x 1050l/h filter pump





- Colors:
- Black
- Silver
- Lightwood
- Mahogany
- White

# Catalogue 2011.1 AQUA NOVA



### Flat Glass Aquarium (specially designed for marine (seawater) fish keeping)

- Complete, with built in overflow, into a sump filter. (mini reef) (which is inside cabinet)
- Complete with filter wool
- The unit come with Aquarium, cabinet and filter in built into cabinet all accessories provided to start (pipes, hoses, fittings)
- Open top to allow heat to escape, and top brace around glass suitable for lighting attachment.
- Comes with ceramic shafted pump, suitable for salt water fish (ceramic shaft standard)
- Over flow pipes included and values,
- 1) 1 hole for water flowing down into filter unit.
- 2) 1 hole for water that is pumped back up into the aquarium from the pump.
- 3) 1 hole, if there is a problem with the down flow (for example blocked) there is a saftey hole to let water flow down.
- Additional options (extra costs) Aqua Nova metal halides, Aqua Nova protein skimmers with pump. Aqua Nova heater.



HY-680 (Capacity ~ 205 l) Size: 720 x 590 x 1470 mm (including cabinet height)



HY-1000 (Capacity ~ 310 l) Size: 1040 x 590 x 1505 mm (including cabinet height)



HY-1300 (Capacity ~ 470 l) Size: 1330 x6 35 x 1540 mm (including cabinet height)





AQUA NOVA Catalogue 2011.1

HY-1500 (Capacity ~ 550 l) Size: 1535 x 635 x 1560 mm (including cabinet height)



### The stylish new Aqua Nova NM-500 Marine tank & cabinet comes complete with

- $\sim$  2 x 24w PL lighting (1/2 white, 1/2 blue)
- $\sim$  3 x blue LED lights (moonlight)
- $\sim$  5watt UV clarifier
- ~ Adjustable step design cover for hood
- ~ Individual waterproof switches
- $\sim$  2 x extraction fans to minimise heat
- ~ Undergravel extraction leading in to biological back filters which includes: thick black coarse sponge leading into filter box (noodles includes)

- ~ Then protein skimmer and finally UV sterilizer
- ~ 10watt power head with adjustable flow outlet
- $\sim$  Flow rate of 700 L/H
- ~ Available in Black and Grey only
- ~ Marine Aquariums are sold as a complete unit
- ~ Tank Dimensions: 48cm(L)x45.5cm(W) x51cm(H). (mm Glass)
- ~ Top Frame Dimensions: 48cm(L)x45.5cm(W)x cm(H).

Aqua Nova Salt is a dynamic new formulation, specifically designed for the needs of the modern reef aquarium. It has been based on state of the art coral reef ecology research. All the materials are taken from natural and pure oceanic minerals, ensuring that the properties of tropic coral reef seawater can be accurately replicated. The salt contains abundant calcium, magnesium trace elements and active biological substances to achieve elevated levels of calcium and alkalinity reserve without resorting to harmful chelating agents. These components have proven to be effective in assuring the health and growth of all creatures in your aquariums.

- ~ Contains no nitrates or phosphate.
- ~ Dissolves easily and leaves no residue.

- $\sim 2 \text{ kg}$  Colour Box for 601
- ~ 4 kg Colour Box for 120l
- ~ 6 kg Bucket for 180





Aqua Nova Aquarium Co2 kits are used to provide the aquarium plants with Co2. Plant needs Co2 to grow and thrive. The Co2 kits ensure that your plants receive that your plant receive the appropriate amount of Co2 to grow.

### NCo2-2 (set)

- CO2 disposable cartridge 95g
- Bottle support
- Regulator
- Bubble counter
- Check valve
- Ceramic diffuser
- Suction cap

5g Very Co2 system-mini kit OC2 cartridge 9s/ 0 Bubble counter 0 Bubble counter 0 Creamic diffuser 0 Suction cap

w petras cont a

ARTRIDGE

95g

- NCo2-1
- Non refillable Cylinder
- Volume: 135 ml
- Contents: 95 ± g CO2
- Bursting pressure: > 480 kg/cm2

### NCo2-3 / NCo2-4

Multi-Direction reactor Diffusion of CO2 in water will achieve near to 100% within the shortest time, suitable for tant 60-90 cmm or larger than 1,2 m.




95g

### NCo2-6

This connector sets is to let your bottle suitable for your setting







### NCo2-5



NCo2-6

**Bubble Counter** 



AQUA NOVA Catalogue 2011.1



## 3) Tubing C now supply purified water

### **RO-300**

Create high quality purified water • The water pressure of tap from 3 to 6 bar is enough to run the unit.



### **ROC-003**

**TFC** Membrane Servicelife 1 to 6 years depends on water quality Purify water High retention rate



1 x Sponge

Vacuum

suction cups

Filter material

Mounting device

In the second		AQUA NOVA Catalogue 2011.1
NBF-1200	NBF-1800	9
200L	250L	I A I
150cm	170cm	g
25W	30W	~
20-240V AC,	220-240V AC,	
50Hz	50Hz	
2 x Sponge	2 x Sponge	19
Vacuum	Vacuum	1
suction cups	suction cups	

1 x Sponge

Vacuum

suction cups

1 x Sponge

Vacuum

suction cups

### Aqua Nova Canister filter range.

### Features

- Modern filter design to maximize space of filtration.
- Simple setup and operation.
- Inbuilt in motor head is self priming unit for quick start.
- Very quiet motor operation and reliability.
- Quick shut off mechanisim for easy stop to filter, gives access to cleaning faster.
- Rotation values for easy adjustment.
- In box full instructions and setup tips.
- Filter comes with course black sponge, fine white sponge, ceramic rings and activated carbon.
- Filter comes with all pipes, values and necessary fittings to setup.





NCF15



Model no.	NCF-600	NCF-800	NCF-1000	NCF-1200	NCF-1500	NCF-2000
Flow rate (L/h)	600L/h	800L/h	1000L/h	1200L/h	1500L/h	2000L/h
Bucket Size (L)	6	7	8.7	11.7	14.7	25
Hmax (cm)	120cm	150cm	120cm	150cm	180cm	300cm
Power (W)	15W	15W	20W	20W	20W	50W
Power supply	220V AC 50hz					
Aquarium size (L)	Max 150L/h	Max 200L/h	Max 300L/h	Max 400L/h	Max 500L/h	Max 800L/h



### Aqua Nova Air pump range.

### Features

- Modern compact design.
- Simple setup and operation, quick start.
- All models come with rubber feet, to avoid vibration.
- Very quiet motor operation and reliability.
- In box full instructions and setup tips.
- Please remember to use a check value or non return value.



MODEL NA-100 NA-200 NA-400 NA-450 OUTPUT (l/h) 130l/h 200l/h 2 x 200l/h 2 x 200l/h OUTLETS 1 (ADJUSTABLE) 2 2 (ADJUSTABLE) 1 2 POWER (W) 3 4 4.5 220V AC, POWER 220V AC, 220V AC, 220V AC, 50HZ 50HZ 50HZ 50HZ



### NF-300 & NF-450 & NF-600

- Aqua Nova external hang on filter. Innovative top oil filter, which adjusts itself on the top of the water to remove any oils.
- Filter cartridges, with sponge and carbon, this absorbs the dirt, and reduces the density of the acid. Also available cartridge without carbon (for treating sick fish)
- Long intake pip with strainer to aviod sucking in small fish
- Easy setup, easy to clean and maintain.
- Low power consumption.



### **N-TIMER**

Aqua Nova digital timer.

Digital Timer 24 / 7, AM/PM or 24 hours Settings.

20 Programable times a day

Good for controling electrical products such as light reflector, metal halids, and Co2 units.









	NF-300	NF-450	NF-600
/ <b>h)</b>	300L/h	450L/h	600L/h
/)	3	5	7
	220V AC,	220V AC,	220V AC,
	50HZ	50HZ	50HZ

### Aqua Nova Glass Heater range.

### **Features**

- Glass (Quartz) heater with thermostat.
- Fully submersible heater technology.
- Quartz material used so heater can be out of water and not crack whilst heated.
- Simple setup and operation, quick start.
- Easy temperature adjustment panel & knob with Aqua Nova precision setting.
- Light to indicate that heater thermostat is on or off, This heater has automatic thermostat to maintain permanent temperature of water.
- All models come with thick rubber suction, to stick onto Aquarium wall.
- Very reliable and long lasting with SAA, CE approvals.
- In box full instructions and setup tips.





	SIZE IN LITRE SIZE IN LITRE			E		
TEMPERATURE	50LITRE	75LITRE	100LITRE	150LITRE	200LITRE	250LITRE
5 C	50W	50W	75W	100W	150W	200W
10 C	50W	100W	100W	150W	200W	250W





### Aqua Nova T8 light unit (reflectors) range.

### **Features**

- Modern slim design and compact units
- Simple setup, with optional use of adjustable feet to suit each unit.
- Plastic splash proof cover to avoid water from wetting the globe/s.
- NSL-range (Nova Single lights) come with white plant tube.
- NDL-range (Nova Double lights) come with 1 x white plant tube and 1 coral blue marine tube standard, the NDL-range has 2 separate switches to operate either tube.
- NDL-range with feet/stand that opens upwards. (as per photo)

		8	/		
MODEL	UNIT LENGTH (WITHOUT FEET)	UNIT LENGTH (WITH FEET)	WATT (LIGHT TUBE)	POWER (FREQUENCY)	VOLTAGE
NSL-300	286mm	300mm	9W	50/60Hz	220/100V
NSL-600	546mm	600mm	15W	50/60Hz	220/100V
NSL-900	866mm 🖌	900mm	20W	50/60Hz	220/100V
NSL-1200	1169mm	1200mm	30W	50/60Hz	220/100V
NSL-1500	1474mm	1500 <mark>m</mark> m	40W	50/60Hz	220/100V



MODEL	UNIT LENGTH (WITHOUT FEET)	UNIT LENGTH (WITH FEET)	WATT (LIGHT TUBE)	POWER (FREQUENCY)	VOLTAGE	
NDL-600	546mm	600mm	2 x 15W (1 x White, 1 x Blue)	50/60Hz	220/100V	
NDL-900	866mm	900mm	2 x 20W (1 x White, 1 x Blue)	50/60Hz	220/100V	
NDL-1200	1169mm	1200mm	2 x 30W (1 x White, 1 x Blue)	50/60Hz	220/100V	

### Aqua Nova T5 high output light unit

### **Features**

NLT5 - Twin globe high output (dual switches) NHT5- Quad globe high output (dual switches)

- Modern design and compact units.
- NLT5/NHT5 range black colour unit.
- Simple setup, with optional use of 90 degree, adjustable feet to suit each unit
- Plastic splash proof cover to avoid water from splashing on globes.
- NLT5 range comes standard with 2 x white tube or 1 x white/plant tubes and 1 blue/marine tubes
- NHT5 range comes standard with 2 x white/plant tubes and 2 blue/marine tubes
- Innovative design for the light reflecting to make the light lighter and strong

MODEL	UNIT LENGTH	WATT (LIGHT TUBE T5)	POWER (FREQUENCY)	VOLTAGE
NLT5-600	60cm - 2foot	2 x 24w	50/60Hz	220/100V
NLT5-900	90cm - 3foot	2 x 39w	50/60Hz	220/100V
NLT5-1200	120cm - 4foot	2 x 54w	50/60Hz	220/100V
NLT5-1500	150cm - 5foot	2 x 80w	50/60Hz	220/100V





• All units have stainless steel hanging brackets, just in case customer wants to hang unit over aquarium.





First generation aquarium Metal Halide Bulbs. This bulb is good choice for freshwater and plant aquarium. It gives a warmer white, full spectrum appearance to the aquarium.



This bulb appears to the naked eye as crisp ice white, clear artinic blue. The 14000K bulb combines the best characteristics of the 10000K and the 20000K bulbs and eliminates the need to add supplemental florescent or compact fluorescent actinic blue lighting.






The 20000K will bring out the fluorescence in fish and corals, giving the aquarium more of a black light effect. This bulb is a good chice for deep marine species.



MODEL	Watt (MH=HALIDE)	K (Kelvin)
NMH-150	1x150WMH	14000K
NMH-700	1x150WMH ~ 1x27W PL	14000K
NMH-1000	2x150WMH ~ 1x27W PL	14000K
NMH-1200	2x150WMH ~ 2x27W PL	14000K
NMH-1500	3x150WMH ~ 2x27W PL	14000K







### **NP-SERIES**

- NP-SERIES water pumps are suitable for use in ponds, water feautures and other forms of garden or even aquariums.
- Maximum output for these pumps is between 400l/h to 3000l/h .
- Easy to setup and maintain.
- Instructions and full product details included inside box.
- High quality material use to insulate the electrical componets.
- Ceramic shaft standard in all sizes to guarantee long life for the product.



MODEL	WATTS	Flow rate (l/h)	H.max (m)	Dimensions (mm)	Shaft
NP-400	6W	400	0,75	59*46*52	Ceramic
NP-1000	16W	1000	1,80	131*72*81	Ceramic
NP-1500	35W	1500	2,50	123*69*97	Ceramic
NP-2000	45W	2000	3,00	150*75*107	Ceramic
NP-3000	70W	3000	3,50	196*96*132	Ceramic

### **NMP-SERIES**

- High performance standard asynchronous motor with new design, and energy saving up to 50% than before.
- High pump heads and larger flow.
- Can pump dirt particles of size up to 6mm
- Adopt wearproof ceramic shaft which can be used in a longer time.
- Non-submersible installation possible.
- 10m cable
- New feature, connection to Pond Skimmer standard.



MODEL	WATTS	Flow rate (l/h)	H.max (m)	Dimensions (mm)	Shaft
NMP-4500	50W	4500	3,20	380*318.5*162.5	Ceramic
NMP-6000	60W	6000	3,60	380*318.5*162.5	Ceramic
NMP-8000	80W	8000	4,00	380*318.5*162.5	Ceramic
NMP-10000	105W	10000	4,50	380*318.5*162.5	Ceramic

### **NFP-SERIES**

- High performance standard asynchronous motor with new design, and energy saving up to 50% than before.
- High pump heads and larger flow.
- Can pump dirt particles of size up to 6mm
- Adopt wearproof ceramic shaft which can be used in a longer time.
- Non-submersible installation possible.
- 10m cable



MODEL	WATTS	Flow rate (I/h)	H.max (m)	Dimensions (mm)	Shaft
NFP-3000	35W	3000	2,50	270*160*171	Ceramic
NFP-4500	65W	4500	3,00	270*160*171	Ceramic
NFP-6000	95W	6000	3,50	270*160*171	Ceramic
NFP-8000	125W	8000	4,00	270*160*171	Ceramic
NFP-10000	135W	10000	4,50	270*160*171	Ceramic
NFP-12000	175W	12000	5,00	270*160*171	Ceramic

### NJP-SERIES

- High pump heads and larger flow.
- High performance, sturdy asynchronous motors.
- Can pump dirt particles of size up to 6mm
- Adopt wearproof ceramic shaft which can be used vin a longer time.
- Non-submersible installation possible
- Pre-filter included
- 10m cable

MODEL	WATTS	Flow rate (l/h)	H.max (m)	Diamension(mm)	Shaft	
NJP-15000	290	15000	6,5 m	246x150x195	Ceramic	33
NJP-20000	420	20000	7,5 m	246x150x195	Ceramic	55
NJP-25000	520	25000	8 m	246x150x195	Ceramic	/
NJP-30000	660	30000	8 m	246x150x195	Ceramic	









### NUV-07 UV Clarifier 7w (for ponds) (includes bulb)

- Volume of pond = 3.5m<sup>3</sup>
- Flow rate (L/H) = 1500
- UV light = 7waat
- Outlet connection (mm) 20 / 25 / 32 / 40 (4 options)

### NUV-09 UV Clarifier 9w (for ponds) (includes bulb)

- Volume of pond = 4.5m<sup>3</sup>
- Flow rate (L/H) = 3500
- UV light = 9waat
- Outlet connection (mm) 20 / 25 / 32 / 40 (4 options)

### NUV-11 UV Clarifier 11w (for ponds) (includes bulb)

- Volume of pond = 5.5m<sup>3</sup>
- Flow rate  $(\dot{L}/H) = 7000$
- UV light = 11waat
- Outlet connection (mm) 20 / 25 / 32 / 40 (4 options)
- GE and CE approval for european market and euro plug
- Size : 310 (mm)Length

### NUV-18 UV Clarifier 18w (for ponds) (includes bulb)

- Volume of pond = 8m<sup>3</sup>
- Flow rate (L/H) = 9000
- UV light = 18waat
- Outlet connection (mm) 20 / 25 / 32 / 40 (4 options)
- GE and CE approval for european market and euro plug
- Size : 313 (mm)Length

### NUV-36 UV Clarifier 36w (for ponds) (includes bulb)



- Volume of pond = 18m<sup>3</sup>
- Flow rate (L/H) = 15000
- UV light = 36waat
- Outlet connection (mm) 20 / 25 / 32 / 40 (4 options)
- GE and CE approval for european market and euro plug
- Size : 503 (mm)Length

### NUV-55 UV Clarifier 55w (for ponds) (includes bulb)



- Flow rate (L/H) = 25000
- UV light = 55waat
- Outlet connection (mm) 20 / 25 / 32 / 40 (4 options)
- GE and CE approval for european market and euro plug
- Size : 623 (mm)Length







The filter unit is IP44 rated as weatherproof & can be buried in the garden up to the lid.

12VAC low voltage, including 12VA IP44 rated weatherproof transformer. 7.5m LV cable plus 1.8m mains flex on transformer. Full 360 degree outlet head adjustment.

Cleaning indicator for foam sponge maintenance

Model	Filter volume	Pond size	UV Light (W)	Diamension (mm)	Inlet/Outlet (mm)
NPF-10	10L	4000L	7	278*378	15/20/25
NPF-20	20L	10000L	9	370*525	20/25/32/40
NPF-30	30L	13000L	11	370*605	20/25/32/40
NPF-40	40L	20000L	18	413*605	20/25/32/40

### **Aqua Nova Pressure box filter**

Model	Pond size	UV Light (W)	Diamension (mm)	Inlet (mm)	Outlet (mm)
NUB-6000	6000L	9	380*280*383	20/25/32/40	50
NUB-9000	9000L	11	380*280*480	20/25/32/40	50
NUB-12000	12000L	18	5803*80*437	20/25/32/40	70
NUB-25000	25000L	36	788*530*510	20/25/32/40	70







Catalogue 2011.1 **AQUA NOVA** 



### Aqua Nova Plastic plants (different types)

- NP-6 (15cm high, with ceramic base)
- NP-12 (30cm high, with ceramic base)
  NP-20 (50cm high, with ceramic base)



Aqua Nova Sponge filter



### Aqua Nova Check value

Perfect for Co2 units, Air pumps, Air driven Protein skimmers



NCV-1 1 x Check value in blister pack NCV-3 3 x Check value in blister pack

### Auto feeder

- Aqua Nova auto feeder (batteries included)
- Suitable for food up to 3mm
- 5 feeding time every 24hours
- Child lock
- Suitable for fresh and salt water fish



### **T-08**

 Aqua Nova Glass thermometer



• Aqua Nova Plastic thermometer (stick on glass)



### **T-DIG**

• Aqua Nova Digital thermometer (includes suction cap)



### NTH

• Aqua Nova precision yellow glass thermometer



### Fish Net, 3 wire Handle

Black course Nets, with black netting, Strong handle.

### Sizes:

- 3" (7,5cm)
- 4" (10cm)
- 5" (12,5cm)
- 6" (18cm)
- 8" (24cm)
- 10" (30cm)

### **Filter Sponge**

These sponges are replacements and cut to size, and also for use in other filters and sumps besides Aqua Nova products. (L) cm x (W) cm x (H) cm

> NT-380 Sponge 26 x 12 x 2cm (White-fine)

> NT-480 Sponge 36 x 12 x 2cm (White-fine)

NT 620, NT-1000, NT-1000T Sponge 43 x 12 x 2cm (White-fine)

**R-Series and RH-Series Sponge (All sizes)** 36 x 12 x 2cm (White-fine)

### **NCF-600**

17 x 17 x 2cm (White-fine) 17 x 17 x 2cm (Black-course)

NCF-1500 21 x 21 x 2cm (White-fine) 21 x 21 x 3cm (Black-course)

NCF-2000 23 x 23 x 3cm (White-fine) 23 x 23 x 3cm (Black-course)





### **Air Line**

N-WN2; Aqua Nova air line is a 2meter standard size (4mm) silicone tubing..

• TUB-100; 100m Coil of Silicon tubing • TUB-200; 200m Coil of Silicon tubing



### **Air Curtain**

Aqua Nova Air curtain are made from good quality material and packed in blister packs.

### Size:

- AC-8" (20cm)
- AC-12" (30cm)
- AC-18" (45cm)
- AC- 24" (60cm)
- AC-30" (75cm)
- AC-42" (105cm)
- AC-48" (120cm)



### **Air Stones**

Aqua Nova has several types of air stones.

- AS-1 (2.5cm x 1.5cm, Small-Cylinder)
- AS-2 (3cm diameter, Medium-Sphere)
- AS-3 (5cm x 2.5cm, Large-Cylinder)







### NMC-Magnet cleaner series

Includes 3 sizes, suitable for different thicknesses of glass

- NMC-S Small (7cm x 3.5cm)
- NMC-M Medium (9cm x 4.5cm)
- NMC-L Large (11cm x 5.5cm)






### **GC-Gravel Cleaner series** (with adjustable value)

Includes 3 sizes, suitable for small, medium and large aquariums • GC-301 – 10"/25cm (258mm Long

- Triangular Cleaner)
- GC-302 18"/45cm (458mm Long Triangular Cleaner)
- GC-303 24"/60cm (612mm Long Triangular Cleaner)







### Hydrometer

Aqua Nova Hydrometer. The device reads the salinity and specific gravity of the saltwater aquarium (from 1.008-1.030)

### **Coloured Gravel**

- Packed in 1kg bags, in Blue, Purple, Pink, Red
- Coral Sand
- Packed in 5kg bag (approximately cut to 2mm)







Aqua Nova offer more than 100 types of beautiful aquarium ornaments. Include shipwreck, cave mountain, rock mountain. More photos you can also find at all aqua nova websites.





Aqua Nova offer more than 10 types of backgrounds in all standard sizes. More examples you can find at Aqua Nova websites.






### **Aqua Nova Activated carbon**

This activated carbon is high performance filter material. It effectively removes residual medicines, chlorine, certain odours and also contaminants which are produced by the metabolism of organic substances.

Activated carbon should not be used while the Aquarium fish are being treated with any form of medication.

Aqua Nova activated carbon is packed in a sealed plastic bag to avoid unnecessary mess, and also comes already in a Aqua Nova fine black filter bag, this makes it easy to use in any filter. The net has a zipper so you can remove the amount in the net or reuse the bag again.

### **Aqua Nova Ceramic rings**



Activated carbon should not be used while the Aquarium fish are being treated with any form of medication.

again.

### Aqua Nova Bio Balls (60pcs—32mm diameter)

Aqua Nova Bio balls, are Biomechanical heavy duty form of filter media. These balls quench mud particles and protects main filter material against quick plugging. These balls are ideal for all filter sizes, great for External canister filter and sump filters.

Bio balls are an artificial housing for the growth of nitrification bacteria.

### Aqua Nova Activated Carbon

### **Aqua Nova Ceramic Rings**

(packed already in filter media fine netting, with easy zipper system) NAC-0.5 = 500 grams (0.5 kg)NAC-1 = 1000 grams (1kg)NAC-25 = 25 kg



media fine netting, with easy zipper system) NCR-0.5 = 500 grams (0.5k)NCR-1 = 1000 grams (1 kg)NCR-25 = 25 kg


(packed already in filter





This activated carbon is high performance filter material. It effectively removes residual medicines, chlorine, certain odours and also contaminants which are produced by the metabolism of organic

Aqua Nova activated carbon is packed in a sealed plastic bag to avoid unnecessary mess, and also comes already in a Aqua Nova fine black filter bag, this makes it easy to use in any filter. The net has a zipper so you can remove the amount in the net or reuse the bag



AQUA NOVA Catalogue 2011.1

43

### Aqua Nova Bio Balls

	(packed already in filter media fine
5y	netting, with easy zipper system)
	NBB-60 = 60pieces x 32mm diameter
g)	NBB-1000 = 1000pieces x 32mm
	diameter
	NBB-2000 = 2000pieces x 32mm
	diameter





# AQUA NOVA PET



### NP-R002 Wooden Rabbit Hutch

S: 915\*460\*715 mm L: 1240\*460\*715 mm





NP-D004 Wooden Dog House

S: 847\*570\*570 mm M: 1027\*650\*700 mm L: 1147\*780\*800 mm



NP-R001 Wooden Rabbit Hutch



Size:1000\*865\*455 mm

NP-R005 Wooden Rabbit Hutch

M:1200\*520\*920 mm



44





### NP-R006 Wooden Rabbit Hutch

S: 1000\*621\*525 mm



